



PLAN
DIMENSIONS IN MILLIMETRES
SCALE 1:75

NOTES:

1. All standard crossings to be inspected by Council Engineering staff when formwork is ready but before concrete is poured (24 hours notice required).
2. High and low level crossings to be inspected by Council Engineering staff before any excavation or filling is carried out and again when formwork is ready but before concrete is poured.
3. Normal residential crossings: 125mm thick with one layer of SL72 mesh
4. Minimum heavy duty crossings: 150mm thick with one layer of SL72 mesh.
5. Minimum concrete strength f'c 32MPa.



STANDARD
DIMENSIONS IN MILLIMETRES
SCALE 1:50



HIGH AND LOW LEVEL
DIMENSIONS IN MILLIMETRES
SCALE 1:50

DRAWN BY:
W.BARTON
DATE:
21 JULY 2010

CHECKED BY:
C.MACAULAY
DATE:
21 JULY 2010

JUNEE SHIRE COUNCIL

STANDARD DRAWING

FOOTPATH CROSSING

DRAWING NO:

SD.002

SCALE:

REFER DRAWING