



JUNEE SHIRE COUNCIL

Admin Building: 29 Belmore Street JUNEE
Postal Address: PO Box 93, JUNEE NSW 2663
Phone: (02) 6924 8100
Fax: (02) 6924 2497
Email: jsc@junees.nsw.gov.au
Web: www.junees.nsw.gov.au
ABN: 62 621 799 578

HOT WATER CERTIFICATE INSTALLATION REPORT

I, _____ of _____
(Name or Company) (Address)

_____ Licence No: _____

certify:-

Tick and underline where appropriate

1. Class 1 (Dwelling) Class 2 (Boarding House, Flats)
Class 3 (Motel) or Class 4 (Caretaker's House/Flat)
The bathroom/ensuite water plumbing has been installed with a
maximum temperature of 50°C on the hot water lines by a device,
anti-scalding valve or restriction.
2. Class 2, 3 or 9 buildings (School or Institution). The hot water
temperature has been set not to exceed 45°C where infants, school
children, the infirm, elderly or disabled have access to that hot
water service.
3. Class 5, 6, 7 or 8 buildings (Commercial and Industrial) - a legible
warning sign is displayed beside the hot water taps where hot water
temperatures over 50°C are delivered "Warning - This fixture may
deliver hot water which will scald".
4. Thermostatic mixing valves, where installed, are to have a warning
sign at the access panel indicating "This valve may only be serviced
or altered by a qualified plumber certified for maintenance of
thermostatic mixing valves".

(Building site address)

Signed: _____